

GTI Maryland, LLC

Licensee Permit #: GA-23-00020

Item Name: Bulk Indoor Premium - Animal Face - WIP

Test Tag: 1A4030300002581000051260

Source Package: 1A4030300002581000051258

Sample Received: 07/15/2025

Lab ID: GTI051260

Manifest ID: 1870555

METRC Lab Test Batch: Raw Plant Material

Cannabinoids*

Analyte	**MRL	Date Tested Unit	7/16/2025 Unit
		% (w/w)	mg/g
CBD	0.1	< MRL	< MRL
CBDa	0.1	< MRL	< MRL
CBN	0.1	< MRL	< MRL
Δ9-THC	0.1	0.72	7.2
THCa	0.1	33.79	337.9
CBDV	0.1	< MRL	< MRL
CBG	0.1	< MRL	< MRL
CBGa	0.1	1.51	15.1
Δ8-THC	0.1	< MRL	< MRL
THCV	0.1	< MRL	< MRL
CBC	0.1	< MRL	< MRL
THCVa	0.1	0.12	1.2

Total THC $D8THC + D9THC + (THCa * 0.877)$

30.35

Total Cannabinoids

36.14 361.4

Methods: SOP-025-GA; SOP-073-GA

Instrument: HPLC-PDA

*dry-weight potency

Terpenes

Analyte	MRL	Date Tested Unit	7/16/2025 Unit
		% (w/w)	mg/g
alpha-Pinene	0.01	0.05	0.5
Camphene	0.01	0.02	0.2
Sabinene	0.01	< MRL	< MRL
beta-Pinene	0.01	0.08	0.8
beta-Myrcene	0.05	0.71	7.1
3-Carene	0.01	Not Tested	Not Tested
alpha-Terpinene	0.01	< MRL	< MRL
p-Cymene	0.01	Not Tested	Not Tested
d-Limonene	0.10	0.69	6.9
Eucalyptol	0.01	< MRL	< MRL
Ocimene	0.10	< MRL	< MRL
gamma-Terpinene	0.01	< MRL	< MRL
Sabinene hydrate	0.01	< MRL	< MRL
Terpinolene	0.01	0.02	0.2
Fenchone	0.01	< MRL	< MRL
Linalool	0.05	0.49	4.9
Fenchol	0.01	0.06	0.6
Isopulegol	0.01	Not Tested	Not Tested
Camphor	0.01	< MRL	< MRL
Isoborneol	0.01	< MRL	< MRL
Borneol	0.02	< MRL	< MRL
Menthol	0.01	< MRL	< MRL
Terpineol	0.05	0.08	0.8
Nerol	0.10	< MRL	< MRL
Pulegone	0.05	< MRL	< MRL
Geraniol	0.20	< MRL	< MRL
Geraniol acetate	0.20	< MRL	< MRL
alpha-Cedrene	0.01	Not Tested	Not Tested
beta-Caryophyllene	0.01	0.72	7.2
alpha-Humulene	0.01	0.18	1.8
Valencene	0.01	< MRL	< MRL
cis-Nerolidol	0.05	< MRL	< MRL
trans-Nerolidol	0.10	< MRL	< MRL
Caryophyllene oxide	0.01	0.03	0.3
Guaiaol	0.01	< MRL	< MRL
Cedrol	0.01	< MRL	< MRL
beta-Eudesmol	0.01	< MRL	< MRL
alpha-Bisabolol	0.05	< MRL	< MRL

Total


3.13 31.3

Methods: SOP-063-GA; SOP-069-GA

Instrument: GCMS

- CBD
- CBDa
- CBN
- Δ9-THC
- THCa
- CBDV
- CBG
- CBGa
- Δ8-THC
- THCV
- CBC
- THCVa

Cannabinoids*



Pesticides

PASS

Mycotoxins

PASS

Heavy Metals

PASS

Microbials

PASS

Water Activity

PASS

Solvents

Not Required

Moisture Content

PASS

Foreign Matter

PASS

Vitamin E Acetate

Not Required




7/19/2025

Daniel Kulakowski
Lab Director, Green Analytics Maryland

* Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

** All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MMCC Technical Authority for Medical Cannabis Testing, Revision 4.0 (EXT-732-MD)

**MRL = Minimum Reporting Limit *dry-weight potency

GTI Maryland, LLC

Licensee Permit #: GA-23-00020

Item Name: Bulk Indoor Premium - Animal Face - WIP

Test Tag: 1A4030300002581000051260

Source Package: 1A4030300002581000051258

Sample Received: 07/15/2025

Lab ID: GTI051260

Manifest ID: 1870555

METRC Lab Test Batch:

Raw Plant Material

Heavy Metals

Analyte	Limit	MRL	Unit	Status
	ppm	ppm	ppm	
Arsenic	0.4	0.10	< MRL	PASS
Cadmium	0.4	0.10	< MRL	PASS
Chromium	0.6	0.15	< MRL	PASS
Mercury	0.2	0.05	< MRL	PASS
Lead	1.0	0.25	< MRL	PASS

Methods: SOP-061-GA; SOP-072-GA

Instrument: ICP-MS

Residual Solvents

Analyte	Limit	MRL	Unit	Status
	ppm	ppm	ppm	
Propane	5000	43.4	Not Required	
n-Butane	5000	94.0	Not Required	
ethanol	5000	535.0	Not Required	
hexanes	290	63.3	Not Required	
benzene	2	0.4	Not Required	
n-Heptane	5000	540.0	Not Required	
toluene	890	190.0	Not Required	
total xylenes	2170	1936.0	Not Required	

Methods: SOP-010-GA; SOP-067-GA

Instrument: GC-MS-MS

Vitamin E Acetate

LC-MS/MS

Analyte	Limit	Unit	Status
	PPM	PPM	
Vitamin E Acetate	100.0	Not Required	

Methods: SOP-706-MD; SOP-070-GA

Instrument: LC-MS/MS

Mycotoxins

Analyte	Limit	MRL	Unit	Status
	ppb	ppb	ppb	
Aflatoxin B1	20	10.0	< MRL	PASS
Aflatoxin B2	20	10.0	< MRL	PASS
Aflatoxin G1	20	10.0	< MRL	PASS
Aflatoxin G2	20	10.0	< MRL	PASS
Ochratoxin A	20	10.0	< MRL	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS

Microbials

Analyte	Limit	MRL	Unit	Status
	CFU/g	CFU/g	CFU/g	
Total Yeast and Mold Count	100000	200	99747	PASS
Total Aerobic Microbial Count	100000	200	< MRL	PASS
Total Coliforms	100		Not Required	
E.coli	1		Not Detected	PASS
STEC	Not Detected		Not Required	
Salmonella	Not Detected		Not Detected	PASS
L. monocytogenes	Not Detected		Not Required	

Methods: SOP-700-MD; SOP-709-MD; SOP-719-MD

Water Activity

Analyte	Limit	Unit	Status
	Aw	Aw	
Water Activity	0.65	0.558	PASS

Methods: SOP-059-GA

Instrument: Water activity meter

Moisture Content

Analyte	Unit	Status
	%	
Moisture Content	10.220	PASS

Methods: SOP-055-GA

Instrument: Moisture analyzer

Foreign Matter

Analyte	Limit	Unit	Status
	Presence/Absence		
Foreign Matter	Not Detected	Not Detected	PASS




7/19/2025

Daniel Kulakowski
Lab Director, Green Analytics Maryland

+ Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

++ All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MMCC Technical Authority for Medical Cannabis Testing, Revision 4.0 (EXT-732-MD)

**MRL = Minimum Reporting Limit *dry-weight potency

GTI Maryland, LLC

Licensee Permit #: GA-23-00020

Item Name: Bulk Indoor Premium - Animal Face - WIP

Test Tag: 1A4030300002581000051260

Source Package: 1A4030300002581000051258

Sample Received: 07/15/2025

Lab ID: GTI051260

Manifest ID: 1870555

METRC Lab Test Batch:

Raw Plant Material

Pesticides

Analyte	Limit	MRL	Unit	Status
	ppm	ppm	ppm	
Daminozide	1.00	0.50	< MRL	PASS
Ethephon	1.00	0.50	< MRL	PASS
Oxamyl	1.00	0.50	< MRL	PASS
Flonicamid	1.00	0.50	< MRL	PASS
Methomyl	0.40	0.20	< MRL	PASS
Thiamethoxam	0.20	0.10	< MRL	PASS
Imidacloprid	0.40	0.20	< MRL	PASS
Dimethoate	0.20	0.10	< MRL	PASS
Acetamiprid	0.20	0.10	< MRL	PASS
Thiacloprid	0.20	0.10	< MRL	PASS
Aldicarb	0.40	0.20	< MRL	PASS
Dichlorvos	0.10	0.05	< MRL	PASS
Carbofuran	0.20	0.10	< MRL	PASS
Ancymidol	0.20	0.10	< MRL	PASS
Carbaryl	0.20	0.10	< MRL	PASS
Clofentazine	0.20	0.10	< MRL	PASS
Imazalil	0.20	0.10	< MRL	PASS
Naled	0.50	0.25	< MRL	PASS
Metalaxyl	0.20	0.10	< MRL	PASS
Chloanthraniliprole	0.20	0.10	< MRL	PASS
Phosmet	0.20	0.10	< MRL	PASS
Malathion	0.20	0.10	< MRL	PASS
Boscalid	0.40	0.20	< MRL	PASS
Paclobutrazol	0.40	0.20	< MRL	PASS
Methiocarb	0.20	0.10	< MRL	PASS
Myclobutanil	0.20	0.10	< MRL	PASS
Azoxystrobin	0.20	0.10	< MRL	PASS
Flurprimidol	0.20	0.10	< MRL	PASS
Bifenazate	0.20	0.10	< MRL	PASS

Pesticides (Continued)

Analyte	Limit	MRL	Unit	Status
	ppm	ppm	ppm	
Spirotetramat	0.20	0.10	< MRL	PASS
Kresoxym-methyl	0.40	0.20	< MRL	PASS
Diazinon	0.20	0.10	< MRL	PASS
Propiconazole	0.40	0.20	< MRL	PASS
Spinosad A	0.20	0.10	< MRL	PASS
Trifloxystrobin	0.20	0.10	< MRL	PASS
Spinosad D	0.20	0.10	< MRL	PASS
Pyrethrin II	1.00	0.50	< MRL	PASS
Chlorpyrifos	0.20	0.10	< MRL	PASS
Spiromesifen	0.20	0.10	< MRL	PASS
Piperonyl Butoxide	1.00	0.50	< MRL	PASS
Etozazole	1.00	0.50	< MRL	PASS
Hexythiazox	1.00	0.50	< MRL	PASS
Pyrethrin I	1.00	0.50	< MRL	PASS
Fenpyroximate	0.20	0.10	< MRL	PASS
Cyfluthrin	1.00	0.50	< MRL	PASS
Permethrin	0.50	0.25	< MRL	PASS
Abamectin B1a	0.50	0.25	< MRL	PASS
Bifenthrin	0.20	0.10	< MRL	PASS
Fludioxonil	0.40	0.20	< MRL	PASS
Fipronil	0.40	0.20	< MRL	PASS

Methods: SOP-062-GA; SOP-070-GA

Instrument: LC-MS/MS




7/19/2025

Daniel Kulakowski
Lab Director, Green Analytics Maryland

+ Where statements of conformity are reported ('pass' vs. 'fail'), the simple acceptance decision rule is applied.

+ All testing activities (except sampling) took place at the laboratory address listed on transfer manifest.

Results pertain to sample received according to sampling procedure SOP-065-MD and relate only to items tested.

Action limits set according to MMCC Technical Authority for Medical Cannabis Testing, Revision 4.0 (EXT-732-MD)

**MRL = Minimum Reporting Limit

*dry-weight potency